AUTHOR INDEX

1986, Volume 56

ADRIAN T E *see* Webb S C *et al*
AITCHISON M *see* Behan W M H *et al*
ALEXANDRE J-M *see* Funck-Brentano C *et al*
ALEXOPOULOS D *see* Protonotarios N *et al*
ANTONELLI D (& Shmilovitz L, Dharan M) Conjoined hearts: case report 486
ARAKI H (& Hayata N, Matsuguchi T, Takeshita A, Nakamura M) Diagnosis of important fixed coronary stenosis in patients with variant angina by exercise tests after treatment with calcium antagonists 138
ASHERSON R A (& Mackay I R, Harris E N) Myocardial infarction in a young man with systemic lupus erythematosus, deep vein thrombosis, and antibodies to phospholipid: case report 190
ATKINSON L *see* Richardson P J *et al*

BEEN M *see* De Bono D P *et al*
BEHAN P O *see* Behan W M H *et al*
BEHAN W M H (& Aitchison M, Behan P O) Pathogenesis of heart block in a fatal case of dermatomyositis: case report 479
BENNETT D H Comparison of electrocardiographic and echocardiographic measures of left ventricular hypertrophy in the assessment of aortic stenosis: correspondence 105
—*see also* Schofield P M *et al*
BINI R M *see* McKay R *et al*
BIOLLAZ J *see* Nicod P *et al*
BLAND J M *see* D'Arbela P G *et al*
BLOOM S R *see* Webb S C *et al*
BOGAERT A M *see* De Scheerder I *et al*
BONO D P DE *see* De Bono D P
BOTT-SILVERMAN C *see* Proudfit W L *et al*
BOVILL J G *see* Van Wezel H B *et al*
BOWES R J *see* Schofield P M *et al*
BRAAT S *see* Res J C J *et al*
BRENTANO C FUNCK- *see* Funck-Brentano C
BRESNAHAN J F *see* Sugrue D D *et al*
BROOKS N *see* Schofield P M *et al*
BROOKS N H *see* Schofield P M *et al*
BROWN M J *see* Corr L *et al*
BRUNNER H R *see* Nicod P *et al*
BUCHANAN J D *see* Rogerson M E *et al*
BUCKNALL C A (& Keeton B R, Curry P V L, Tynan M J, Sutherland G R, Holt D W) Intravenous and oral amiodarone for arrhythmias in children 278
BULL C Interventional catheterisation in infants and children: editorial 197
BURGESS J H *see* Daly P *et al*
BURNS J E *see* Reid K G *et al*
BUTLER M G *see* Kaye G C *et al*
BUYZERE M DE *see* de Buyzere M

CAMM A J *see* Kaye G C *et al*
Wiseman M N *et al*
CHAPPELL M *see* Murray N *et al*
CHARLES R G *see* Ramsdale D R *et al*
CHARLESTON A J *see* Hangartner J R W *et al*
CHATELLIER G *see* Funck-Brentano C *et al*
CHATTERJEE K *see* Daly P *et al*
CLEMENT D *see* De Scheerder I *et al*
COBBE S M *see* Simpson I A *et al*
COMMEAU Ph *see* Grollier G *et al*
CORR L (& Grounds R M, Brown M J, Whitwam J G) Plasma catecholamine changes during cardiopulmonary bypass: a randomised double blind comparison of trimetaphan camsylate and sodium nitroprusside 89
COULSHED N *see* Ramsdale D R *et al*
COUPE M (& Dancy M, Pepper J) Coincidence of true and false left ventricular aneurysms after myocardial infarction: case report 567
COUSINEAU D *see* Daly P *et al*
CRAIGE E *see* Smith D & Craige E
CRAKE T *see* Quyyumi A A *et al*
CREAN P A (Mathieson P W, Rickards A F) Transluminal angioplasty of a stenosis of an internal mammary artery graft: case report 473
CRICK J C P *see* Sowton E *et al*
CURRY P V L *see* Bucknall C A *et al*

D'ARBELA P G (& Silayan Z M, Bland J M) Comparability of M mode echocardiographic long axis and short axis left ventricular function derivatives 445
D'ARDENNE A J *see* Kaye G C *et al*
DALY P (& Rouleau J-L, Cousineau D, Burgess J H, Chatterjee K) Effects of captopril and a combination of hydralazine and isosorbide dinitrate on myocardial sympathetic tone in patients with severe congestive heart failure 152
DANCY M Comparison of electrocardiographic and echocardiographic measures of left ventricular hypertrophy in the assessment of aortic stenosis: correspondence reply 105
—*see also* Coupe M *et al*
DAVID J *see* Nihoyannopoulos P *et al*
DAVIES M J *see* Hangartner J R W *et al*
DE BONO D P (& Lumley P, Been M, Keery R, Ince S E, Woodings D F) Effect of the specific thromboxane receptor blocking drug AH23848 in patients with angina pectoris 509
DE BUYZERE M *see* De Scheerder I *et al*
DE LANGE M *see* de Scheerder I *et al*
DE SCHEERDER I (& De Buyzere M, Robbrecht J, De Lange M, Delanghe J, Bogaert A M, Clement D) Postoperative immunological response against contractile proteins after coronary bypass surgery 440
DEL TORSO S *see* Menahem S *et al*
DELANGHE J *see* de Scheerder I *et al*
DER STROOM J G VAN *see* Van der Stroom J G
DETRANO R (& Yiannikas J, Simpfendorfer C, Hobbs R E, Salcedo E E) Exercise digital subtraction ventriculography for the detection of ischaemic wall motion abnormalities in patients without myocardial infarction 131
DEVERALL P *see* Sowton E *et al*
DEWHURST N G *see* Rodrigues E A *et al*
DHARAN M *see* Antonelli D *et al*
DI SEGNI E (& Siegal A, Katzenstein M) Congenital diverticulum of the heart arising from the coronary sinus: case report 380
DUNNING A J *see* Kan G *et al*
DURRINGTON P N (& Hunt L, Ishola M, Kane J, Stephens W P) Serum apolipoproteins AI and B and lipoproteins in middle aged men with and without previous myocardial infarction 206

EDMONDSON S J *see* Kaye G C *et al*
EDWARDS A D (& Vickers M A, Morgan C J) Infective endocarditis affecting the eustachian valve: case report 561

EENIGE M J VAN *see* van Eenige M J
EFTHIMIOU J *see* Quyyumi A A *et al*
EPSTEIN E J *see* Ramsdale D R *et al*
ERIKSSON P *see* Teien D *et al*
EVANS D W (& Stovin P G I) Fatal heart block due to mesothelioma of the atrioventricular node: case report 572
EVANS D WAINWRIGHT *see* Wainwright Evans D

FIELDMAN A *see* Kiernan F J *et al*
FIOLET J W T *see* Van Wezel H B *et al*
FIRMIN D N *see* Underwood S R *et al*
FITZGERALD E *see* Singh H *et al*
FLEMING H A Unexpected myocardial disease in patients with life threatening arrhythmias: correspondence 575
FOALE R (& Nihoyannopoulos P, McKenna W, Kleinebenne A, Nadazdin A, Rowland E, Smith G) Echocardiographic measurement of the normal adult right ventricle 33
——Ribeiro P, McKenna W J, Oakley C M, Drikler D M, Rowland E) Right ventricular abnormalities in ventricular tachycardia of right ventricular origin: relation to electrophysiological abnormalities 45
FORMAN M B *see* Kopelman H A *et al*
FOX K M (& Krikler D M) Early treatment of unstable angina: editorial 398
—*see also* Levy R D *et al*
Quyyumi A A *et al*
Underwood S R *et al*
FRIEDLI B *see* Meier B *et al*
FUJIWARA H *see* Tanaka M *et al*
FUNCK-BRENTANO C (& Chatellier G, Alexandre J-M) Reversible renal failure after combined treatment with enalapril and frusemide in a patient with congestive heart failure: correspondence reply 489
FYFE T (& Robinson J F) Failure of Quintech Tx pacemaker caused by loss of stimulus-T interval shortening during exercise: case report 391

GATEI D *see* Sanderson J E *et al*
GEDDES J S Twenty years of prehospital coronary care: editorial 491
GENEST J The atrial natriuretic factor 302
GEZERLIS P *see* Protonotarios N *et al*
GIBBS J L (& Qureshi S A, Grieve L, Webb C, Radley Smith R, Yacoub M H) Doppler echocardiography after anatomical correction of transposition of the great arteries 67
GIBSON D (& Mehmel H, Schwarz F, Li K, Kübler W) Changes in left ventricular regional asynchrony after intracoronary thrombolysis in patients with impending myocardial infarction 121
GIBSON D G *see* Hammermeister K E *et al*
GILES M S *see* Wiseman M N *et al*
GODMAN M J *see* Reid K G *et al*
GOH T H *see* Menahem S *et al*
GOORMASTIC M *see* Proudfit W L *et al*
GOWERS J *see* Shaw D B *et al*
GOY J J *see* Nicod P *et al*
GRAHAM B S *see* Kopelman H A *et al*
GREEN G J *see* Ramsdale D R *et al*
GRIEVE L *see* Gibbs J L *et al*
GRIFFIN B *see* Sowton E *et al*
GROLLIER G (& Commeau Ph, Potier J C) Angioplasty of an occluded left anterior descending coronary artery: usefulness of retrograde opacification of the distal part of the occluded vessel via the contralateral coronary artery in positioning the balloon catheter: case report 377
GROUNDS R M *see* Corr L *et al*
GUERON M *see* Weinhouse E *et al*
GUSSARSKY Y *see* Weinhouse E *et al*

HACKETT D *see* Nihoyannopoulos P *et al*
HACKWORTHY R A (& Vogel M B, Harris P J) Influence of infarct artery patency on the relation between initial ST segment elevation and final infarct size 222
HALLIDIE-SMITH K A *see* Morais P *et al*
HAMMERMEISTER K E (& Gibson D G, Hughes D) Regional variation in the timing and extent of left ventricular wall motion in normal subjects 226
HAMMES L N *see* Sugrue D D *et al*
HANGARTNER J R W (& Charleston A J, Davies M J, Thomas A C) Morphological characteristics of clinically significant coronary artery stenosis in stable angina 501
HANNAN W J *see* Rodrigues E A *et al*
HARRIS E N *see* Asherson R A *et al*
HARRIS P J *see* Hackworthy R A *et al*
HAYATE N *see* Araki H *et al*
HEIKKILÄ J *see* Huikuri H V *et al*
HENDERSON A H *see* Lewis M J & Henderson A H
HENDRY W G *see* Webb S C *et al*
HERBINGER W *see* Leisch F *et al*
HOBBS R E *see* Detrano R *et al*
HOFBAUER K G *see* Nicod P *et al*
HOLLAND INTERUNIVERSITY NIFEDIPINE/METOPROLOL TRIAL (HINT) RESEARCH GROUP Early treatment of unstable angina in the coronary care unit: a randomised, double blind, placebo controlled comparison of recurrent ischaemia in patients treated with nifedipine or metoprolol or both 400
HOLMES D R *see* Sugrue D D *et al*
HOLT D W *see* Bucknall C A *et al*
HOSENPUD J D (& McAnulty J H, Niles N R) Unexpected myocardial disease in patients with life threatening arrhythmias 55
HOUSTON A B *see* Simpson I A *et al*
HUGHES D *see* Hammermeister K E *et al*
HUIKURI H V (& Korhonen U R, Heikkilä J, Takkunen J T) Detection of coronary artery disease by thallium scintigraphy in patients with valvar heart disease 146
HUMPHRIES S E Familial hypercholesterolaemia as an example of early diagnosis of coronary artery disease risk by DNA techniques: editorial 201
HUNT L *see* Durrington P N *et al*
HUTTON I *see* Simpson I A *et al*

IIDA K *see* Matsuda M *et al*
INCE S E *see* De Bono D P *et al*
INGRAM A *see* Kenny R A *et al*
ISHIKAWA K *see* Ishikawa M & Ishikawa K
ISHIKAWA M (& Ishikawa K) Influence of profuse sweating on systolic time intervals 176
ISHOLA M *see* Durrington P N *et al*
ITO I *see* Matsuda M *et al*

JENKINS B S *see* Wilmshurst P T *et al*
JEWITT D E *see* Richardson P J *et al*
JOHNS J A *see* Menahem S *et al*
JOY M *see* Stewart JT *et al*
JUUL S M *see* Wilmshurst P T *et al*

KAN G (& Visser C A, Koolen J J, Dunning A J) Short and long term predictive value of admission wall motion score in acute myocardial infarction: a cross sectional echocardiographic study of 345 patients 422
KANE J *see* Durrington P N *et al*
KARLINER J *see* Watkins J *et al*
KARP K *see* Teien D *et al*
KATZENSTEIN M *see* Di Segni E *et al*
KAWAI C *see* Tanaka M *et al*
KAYE G C (& Butler M G, d'Ardenne A J, Edmondson S J, Camm A J, Slavin G) Isolated atrial amyloid contains atrial natriuretic peptide: a report of six cases 317
KEERY R *see* De Bono D P *et al*
KEETON B R *see* Bucknall C A *et al*
KEKWICK C A *see* Shaw D B *et al*
KENNY R A (& Ingram A, Mitsuoka T, Walsh K, Sutton R) Optimum pacing mode for patients with angina pectoris 463

KERSCHNER K *see* Leisch F *et al*
KIERNAN F J (& Kluger J, Regnier J C, Rutkowski M, Fieldman A) Epoprostenol sodium (prostacyclin) infusion in acute myocardial infarction 428
KLEINEBENNE A *see* Foale R *et al*
KLIPSTEIN R H *see* Underwood S R *et al*
KLUGER J *see* Kiernan F J *et al*
KNAPP M F *see* Linden R J & Knapp M F
KOIWAYA Y *see* Nakagawa S *et al*
KOOLEN J J *see* Kan G *et al*
Van Wezel HB *et al*
KOPELMAN H A (& Graham B S, Forman M B) Myocardial abscess with complete heart block complicating anaerobic infective endocarditis: case report 101
KORHONEN U R *see* Huikuri H V *et al*
KRAMER J R *see* Proudfit W L *et al*
KRIKLER D M *see* Foale R A *et al*
Fox K M & Krikler D M
Webb S C *et al*
KÜBLER W *see* Gibson D *et al*
KUWAKO K *see* Matsuda M *et al*

LANE G E *see* Sugrue D D *et al*
LANGE M DE *see* de Lange M
LAU K C *see* Leung M P *et al*
LEISCH F (& Schützenberger W, Kerschner K, Herbinger W) Influence of a variant angina on the results of percutaneous transluminal coronary angioplasty 341
LEUNG M P (& Mok C K, Lau K C, Lo R, Yeung C Y) The role of cross sectional echocardiography and pulsed Doppler ultrasound in the management of neonates in whom congenital heart disease is suspected. A prospective study 73
LEVY R D (& Shapiro L M, Wright C, Mockus L, Fox K M) Haemodynamic response to myocardial ischaemia during unrestricted activity, exercise testing, and atrial pacing assessed by ambulatory pulmonary artery pressure monitoring 12
——————Syndrome X: the haemodynamic significance of ST segment depression 353
——————The haemodynamic response to myocardial ischaemia in ambulant patients with variant angina 518
——————The haemodynamic significance of asymptomatic ST segment depression assessed by ambulatory pulmonary artery pressure monitoring 526
LEWIS M J (& Henderson A H) Abrupt withdrawal of atenolol in patients with severe angina: comparison with the effects of treatment: correspondence 195
LI K *see* Gibson D *et al*
Lincoln C *et al*
LINCOLN C (& Redington A N, Li K, Mattos S, Shinebourne E A, Rigby M L) Anatomical correction for complete transposition and double outlet right ventricle: intermediate assessment of functional results 259
LINDEN R J (& Knapp MF) Is atrial natriuretic peptide really a hormone?: editorial 299
LO R *see* Leung M P *et al*
LONGMORE D B *see* Underwood S R *et al*
LOVETT D *see* Stewart J T *et al*
LUMLEY P *see* De Bono D P *et al*
LYONS J *see* Murray N *et al*

MCANULTY J H *see* Hosenpud J D *et al*
MCCREDIE R M *see* McKenzie W B *et al*
MCGILCHRIST C A *see* McKenzie W B *et al*
MACKAY I R *see* Asherson R A *et al*
MCKAY R (& Bini R M, Wright J P) Staged septation of double inlet left ventricle: case report 563
MCKENNA W *see* Foale R *et al*
MCKENNA W J *see* Foale R A et al
MCKENZIE W B (& McCredie R M, McGilchrist C A, Wilcken D E L) Smoking: a major predictor of left ventricular function after occlusion of the left anterior descending coronary artery 496
MACKINTOSH A F *see* Tseu F L *et al*
MCMURRAY J (& Matthews D M) Reversible renal failure after combined treatment with enalapril and frusemide in a patient with congestive heart failure: correspondence 489
MATHIESON P W *see* Crean P A *et al*
MATSUDA M (& Sekiguchi T, Sugishita Y, Kuwako K, Iida K, Ito I) Reliability of non-invasive estimates of pulmonary hypertension by pulsed Doppler echocardiography 158
MATSUGUCHI T *see* Araki H *et al*
MATTHEWS D M *see* McMurray J & Matthews D M
MATTOS S *see* Lincoln C *et al*
MEHMEL H *see* Gibson D *et al*
MEIER B (& Friedli B, Oberhänsli I) Trefoil balloon for aortic valvuloplasty: case report 292
MEIJLER F L The pulse in atrial fibrillation: editorial 1
MENAHEM S (& Johns J A, Del Torso S, Goh T H, Venables A W) Evaluation of aortic valve prolapse in ventricular septal defect 242
MITSUOKA T *see* Kenny R A *et al*
MOCKUS L *see* Levy R D *et al*
MOCKUS L J *see* Levy R D *et al*
Quyyumi A A *et al*
MOK C K *see* Leung M P *et al*
MORAIS P (& Westaby S, Hallidie-Smith K A) Left ventricular outflow tract obstruction due to anomalous mitral valve: successful mitral valve replacement in a four month old infant: case report 385
MORGAN C J *see* Edwards A D *et al*
MORGANS C M *see* Rogerson M E *et al*
MORLEY C A *see* Tseu F L *et al*
MUIR A L *see* Rodrigues E A *et al*
MURRAY N (& Lyons J, Chappell M) Crescentic glomerulonephritis: a possible complication of streptokinase treatment for myocardial infarction: case report 483

NADAZDIN A *see* Foale R *et al*
NAKAGAWA S (& Yamamoto Y, Koiwaya Y) Alpha receptors and ventricular tachycardia after clonidine withdrawal: correspondence 194
NAKAMURA M *see* Araki H *et al*
NICOD P (& Biollaz J, Waeber B, Goy J J, Polikar R, Schlapfer J, Schaller M D, Turini G A, Nussberger J, Hofbauer K G, Brunner H R) Hormonal, global, and regional haemodynamic responses to a vascular antagonist of vasopressin in patients with congestive heart failure with and without hyponatraemia 433
NIHOYANNOPOULOS P (& Venkatesan P, David J, Hackett D, Valantine H, Oakley C M) Left atrial myxoma: new perspectives in the diagnosis of murmur free cases 554
—*see* Foale R *et al*
Foale R A *et al*
NILES N R *see* Hosenpud J D *et al*
NUSSBERGER J *see* Nicod P *et al*

OAKLEY C M *see* Foale R A *et al*
Nihoyannopoulos P *et al*
OBERHÄNSLI I *see* Meier B *et al*
OLSEN E G J *see* Sanderson J E *et al*
ORTIZ E (& Somerville J) Assessment by cross sectional echocardiography of surgical "mitral valve" disease in children and adolescents 267

PAPOUCHADO M (& Pitcher D W) Ventricular pacing improves exercise tolerance in patients with chronic heart block 366
PATEL P N *see* Watson R D S & Patel P N
PATRICK M R *see* Van Wezel H B *et al*
PATSOURAKOS P *see* Protonotarios N *et al*
PEPLOE M M WEBB *see* Webb-Peploe M M

PEPPER J *see* Coupe M *et al*
PERRINS E J *see* Quyyumi A A *et al*
PIEHLER J M *see* Sugrue D D *et al*
PITCHER D W *see* Papouchado M & Pitcher D W
POLIKAR R *see* Nicod P *et al*
POOLE-WILSON P A *see* Underwood S R *et al*
POTIER J C *see* Grollier G *et al*
PROTONOTARIOS N (& Tsatsopoulou A, Patsourakos P, Alexopoulos D, Gezerlis P, Simitsis S, Scampardonis G) Cardiac abnormalities in familial palmoplantar keratosis 321
PROUDFIT W L John Hunter: on heart disease: review 109
—(& Kramer J R, Bott-Silverman C, Goormastic M) Survival of non-surgical patients with mild angina or myocardial infarction without angina 213

QURESHI S A *see* Gibbs J L *et al*
QUYYUMI A A (& Crake T, Mockus L J, Wright C A, Rickards A F, Fox K M) Value of the bipolar lead CM5 in electrocardiography 372
— (& Efthimiou J, Quyyumi A, Mockus L J, Spiro S G, Fox K M) Nocturnal angina: precipitating factors in patients with coronary artery disease and those with variant angina 346
— (& Raphael M, Perrins E J, Shapiro L M, Rickards A F, Fox K M) Incidence of spasm at the site of previous successful transluminal coronary angioplasty: effect of ergometrine maleate in consecutive patients 27
—*see also* Quyyumi A A *et al*

RADLEY SMITH R *see* Gibbs J L *et al*
RAJ M V J *see* Wainwright Evans D and Raj M V J
RAO P S Transcatheter treatment of pulmonary stenosis and coarctation of the aorta: experience with percutaneous balloon dilatation 250
RAPHAEL M *see* Quyyumi A A *et al*
RAMSDALE D R (& Epstein E J, Coulshed N) Constructive pericarditis after myocardial infarction: case report 476
—(& Green G J, Charles R G) Abnormal diastolic movement of the interventricular septum caused by a prolapsing right atrial myxoma: case report 569
RAWLES J M (& Rowland E) Is the pulse in atrial fibrillation irregularly irregular? 4
REDINGTON A N *see* Lincoln C *et al*
REECE I J *see* Simpson I A *et al*
REEDER G S *see* Sugrue D D *et al*
REEDER R S O *see* Underwood S R *et al*
REGNIER J C *see* Kiernan F J *et al*
REID K G (& Godman M J, Burns J E) Truncus arteriosus: successful surgical correction without the use of a valved conduit: case report 388
REMME W J *see* Res J C J *et al*
RES J C J (& Simoons M L, van der Wall E E, van Eenige M J, Vermeer F, Verheugt F W A, Wijns W, Braat S, Remme W J, Serruys P W, Roos J P) Long term improvement in global left ventricular function after early thrombolytic treatment in acute myocardial infarction: report of a randomised multicentre trial of intracoronary streptokinase in acute myocardial infarction 414
RIBEIRO P *see* Foale R A *et al*
RICHARDSON P J (& Wodak A D, Atkinson L, Saunders J B, Jewitt D E) Relation between alcohol intake, myocardial enzyme activity, and myocardial function in dilated cardiomyopathy: *evidence for the concept of alcohol induced heart muscle disease* 165
RICKARDS A F (& Somerville J) Successful balloon aortic valvotomy in a child with a pulmonary hypertensive duct and aortic valve stenosis: case report 185
—*see* Crean P A *et al*
Quyyumi A A *et al*
RIGBY M L *see* Lincoln C *et al*
ROBBRECHT J *see* de Scheerder I *et al*
ROBERTS K D *see* Sibley Y D L *et al*
ROBINSON J F *see* Fyfe T & Robinson J F
RODRIGUES E A (& Dewhurst N G, Smart L M, Hannan W J, Muir A L) Diagnosis and prognosis of right ventricular infarction 19
ROGERSON M E (& Buchanan J D, Morgans C M) Left atrial rupture in osteogenesis imperfecta: case report 187
ROOS J P *see* Res J C J *et al*
ROULEAU J-L *see* Daly P *et al*
ROWLAND E *see* Foale R *et al*
Foale R A *et al*
Rawles J M & Rowland E
RUTKOWSKI M *see* Kiernan F J *et al*
RUTTLEY M S T *see* Singh H *et al*
Singh H & Ruttley M S T

SALCEDO E E *see* Detrano R *et al*
SAUNDERS J B *see* Richardson P J *et al*
SANDERSON J E (& Olsen E G J, Gatei D) Peripartum heart disease: an endomyocardial biopsy study 285
SAVAGE P E *see* Underwood S R *et al*
SCAMPARDONIS G *see* Protonotarios N *et al*
SCHALLER M D *see* Nicod P *et al*
SCHEERDER I DE *see* De Scheerder I
SCHLAPFER J *see* Nicod P *et al*
SCHOFIELD P M (& Brooks N H, Bennett D H) Left ventricular dysfunction in patients with angina pectoris and normal coronary angiograms 327
—(& Bowes R J, Brooks N, Bennett D H) Exercise capacity and spontaneous heart rhythm after transvenous fulguration of atrioventricular conduction 358
SCHÜTZENBERGER W *see* Leisch F *et al*
SCHWARZ F *see* Gibson D *et al*
SEGNI E DI *see* Di Segni E
SEKIGUCHI T *see* Matsuda M *et al*
SERRUYS P W *see* Res J C J *et al*
SHAPIRO L M *see* Levy R D *et al*
Quyyumi A A *et al*
SHAW D B (& Kekwick C A, Veale D, Gowers J, Whistance T) Survival in second degree atrioventricular block: correspondence reply 107
SHINEBOURNE E A *see* Lincoln C *et al*
SHMILOVITZ L *see* Antonelli D *et al*
SIBLEY Y D L (& Roberts K D, Silove E D) Surgical correction of anomalous origin of right pulmonary artery from aorta in a four day old neonate: case report 98
SIEGAL A *see* Di Segni E *et al*
SILAYAN Z M *see* D'Arbela P G *et al*
SILOVE E D *see* Sibley Y D L *et al*
SILVERMAN C BOTT- *see* Bott-Silverman C
SIMITSIS S *see* Protonotarios N *et al*
SIMOONS M L *see* Res J C J *et al*
SIMPFENDORFER C *see* Detrano R *et al*
SIMPSON I A (& Reece I J, Houston A B, Hutton I, Wheatley D J, Cobbe S M) Non-invasive assessment by Doppler ultrasound of 155 patients with bioprosthetic valves: a comparison of the Wessex porcine, low profile Ionescu-Shiley, and Hancock pericardial bioprostheses 83
SINGH H (& Fitzgerald E, Ruttley M S T) Computed tomography: the investigation of choice for aortic dissection 171
—(& Ruttley M S T) Intracoronary thrombolytic treatment: another hazard: case report 182
SLAVIN G *see* Kaye G C *et al*
SLUTSKYR R Validation of work 576
—*see also* Watkins J *et al*
SMART L M *see* Rodrigues E A *et al*
SMITH D (& Craige E) Mechanism of the dicrotic pulse 531
SMITH G *see* Foale R *et al*
SMITH H C *see* Sugrue D D *et al*
SMITH K A HALLIDIE- *see* Hallidie-Smith K A
SMITH R RADLEY *see* Radley Smith R
SOFER S *see* Weinhouse E *et al*

SOMERVILLE J Congenital heart disease in adults and adolescents: editorial 395
—*see also* Ortiz E & Somerville J
Richards A F & Somerville J
Warnes C A & Somerville J
SOWTON E (& Timmis A D, Crick J C P, Griffin B, Yates A K, Deverall P) Early results after percutaneous transluminal coronary angioplasty in 400 patients 115
SPIRO S G *see* Quyyumi A A *et al*
STEPHENS W P *see* Durrington P N *et al*
STEWART J T (& Lovett D, Joy M) Reversible renal failure after combined treatment with enalapril and frusemide in a patient with congestive heart failure: correspondence 489
STOVIN P G I *see* Evans D W & Stovin P G I
STROOM J G VAN DER *see* Van der Stroom J G
SUGISHITA Y *see* Matsuda M *et al*
SUGRUE D D (& Holmes D R, Smith H C, Reeder G S, Lane G E, Vlietstra R E, Bresnahan J F, Hammes L N, Piehler J M) Coronary artery thrombus as a risk factor for acute vessel occlusion during percutaneous transluminal coronary angioplasty, improving results 62
SUTHERLAND G R *see* Bucknall C A *et al*
SUTTON R *see* Kenny R A *et al*

TAKESHITA A *see* Araki H *et al*
TAKKUNEN J T *see* Huikuri H V *et al*
TANAKA M (& Fujiwara H, Kawai C) Pathological features of hypertrophic cardiomyopathy without assymetrical septal hypertrophy: case report 294
TEIEN D (& Karp K, Eriksson P) Non-invasive estimation of the mean pressure difference in aortic stenosis by Doppler ultrasound 450
THOMAS A C *see* Hangartner J R W *et al*
THOMPSON D S *see* Wilmshurst P T *et al*
TIMMIS A D *see* Sowton E *et al*
TORSO S DEL *see* Del Torso S
TSATSOPOULOU A *see* Protonotarios N *et al*
TSEU F L (& Morley C A, Mackintosh A F) Oral xamoterol in patients with sinoatrial disease 469
TUBAU J *see* Watkis J *et al*
TURINI G A *see* Nicod P *et al*
TYNAN M J *see* Bucknall C A *et al*

UNDERWOOD S R (& Klipstein R H, Firmin D N, Fox K M, Poole-Wilson P A, Rees R S O, Longmore D B) Magnetic resonance assessment of aortic and mitral regurgitation 455
—(& Rees R S O, Savage P E, Klipstein R H, Firmin D N, Fox K M, Poole-Wilson P A, Longmore D B) Assessment of regional left ventricular function by magnetic resonance 334

VALANTINE H *see* Nihoyannopoulos P *et al*
VAN EENIGE M J *see* Res J C J *et al*
VAN DER STROOM J G *see* Van Wezel H B *et al*
VAN DER WALL E E *see* Res J C J *et al*
VAN WEZEL H B (& Bovill J G, Koolen J J, Patrick M R, Fiolet J W T, Van der Stroom J G) Influence of glyceryl trinitrate and nifedipine on coronary sinus blood flow and global myocardial metabolism during coronary artery operation 272
VEALE D *see* Shaw D B *et al*
VENABLES A W *see* Menahem S *et al*
VENKATESAN P *see* Nihoyannopoulos P *et al*
VERHEUGT F W A *see* Res J C J *et al*
VERMEER F *see* Res J C J *et al*
VICKERS M A *see* Edwards A D *et al*
VISSER C A *see* Kan G *et al*
VLIETSTRA R E *see* Sugrue D D *et al*
VOGAL M B *see* Hackworthy R A *et al*

WAEBER B *see* Nicod P *et al*
WAINWRIGHT EVANS D (& Raj M V J) Comparison of electrocardiographic and echocardiographic measures of left ventricular hypertrophy in the assessment of aortic stenosis: correspondence 105
WALKER P R Abrupt withdrawal of atenolol in patients with severe angina: comparison with the effects of treatment: correspondence reply 195
WALL E E VAN DER *see* van der Wall E E
WALSH K *see* Kenny R A *et al*
WANDERMAN K L *see* Weinhouse E *et al*
WARNES C A (& Somerville J) Tricuspid atresia in adolescents and adults: current state and late complications 535
WATKINS J (& Slutsky R, Tubau J, Karliner J) Scintigraphic study of relation between left ventricular peak systolic pressure and end-systolic volume in patients with coronary artery disease and normal subjects. *Br Heart J* 1982;48:39–47 (Validation of Slutsky's work) 576
WATSON R D S (& Patel P N) Survival in second degree atrioventricular block: correspondence 107
WEBB C *see* Gibbs J L *et al*
WEBB-PEPLOE M M *see* Wilmshurst P T *et al*
WEBB S C (& Krikler D M, Hendry W G, Adrian T E, Bloom S R) Electrophysiological actions of somatostatin on the atrioventricular junction in sinus rhythm and reentry tachycardia 236
WEINHOUSE E (& Wanderman K L, Sofer S, Gussarsky Y, Gueron M) Viral myocarditis simulating dilated cardiomyopathy in early childhood: evaluation by serial echocardiography 94
WESTABY S *see* Morais P *et al*
WEZEL H B VAN *see* Van Wezel H B
WHEATLEY D J *see* Simpson I A *et al*
WHISTANCE T *see* Shaw D B *et al*
WHITWAM J G *see* Corr L *et al*
WIJNS W *see* Res J C J *et al*
WILCKEN D E L *see* McKenzie W B *et al*
WILDE P Radiation hazards for cardiologists: correspondence 394
WILMSHURST P T (& Thompson D S, Juul S M, Jenkins B S, Webb-Peploe M M) Effects of verapamil on haemodynamic function and myocardial metabolism in patients with hypertrophic cardiomyopathy 544
WILSON P A POOLE- *see* Poole-Wilson P A
WISEMAN M N (& Giles M S, Camm A J) Unusual echocardiographic appearance of intracardiac thrombi in a patient with endomyocardial fibrosis: case report 179
WODAK A D *see* Richardson P J *et al*
WOODINGS D F *see* De Bono D P *et al*
WRIGHT C *see* Levy R D *et al*
WRIGHT C A *see* Quyyumi A A *et al*
WRIGHT J P *see* McKay R *et al*

YACOUB M H *see* Gibbs J L *et al*
YAMAMOTO Y *see* Nakagawa S *et al*
YATES A K *see* Sowton E *et al*
YEUNG C Y *see* Leung M P *et al*
YIANNIKAS J *see* Detrano R *et al*

SUBJECT INDEX

1986, Volume 56

AH23848, effect in angina pectoris (De Bono *et al*). 509
Alcohol intake, myocardial enzyme activity, and myocardial function, in dilated cardiomyopathy, relation between (Richardson *et al*). 165
Alpha receptors and ventricular tachycardia, after clonidine withdrawal: correspondence (Nakagawa *et al*). 194
Ambulatory pulmonary artery pressure monitoring
  assessing asymptomatic ST segment depression, haemodynamic significance (Levy *et al*). 526
  in myocardial ischaemia with variant angina (Levy *et al*). 518
  value of bipolar lead CM5 (Quyyumi *et al*). 372
Amiodarone, intravenous and oral, for arrhythmias, children (Bucknall *et al*). 278
Angina pectoris
  mild, survival of non-surgical patients (Proudfit *et al*). 213
  and normal coronary angiograms, left ventricular dysfunction (Schofield *et al*). 327
  effect of specific thromboxane receptor blocking drug AH23848 (De Bono *et al*). 509
  nocturnal, precipitating factors in coronary artery disease and variant angina (Quyyumi *et al*). 346
  optimum pacing mode (Kenny *et al*). 463
  severe, abrupt withdrawal of atenolol, comparison with effects of treatment: correspondence (Lewis & Henderson: Walker). 195
  stable, morphological characteristics of clinically significant coronary artery stenosis (Hangartner *et al*). 501
  unstable, early treatment: editorial (Fox & Krikler). 398
    early treatment in coronary care unit, HINT Research Group 400
  variant, diagnosis of important fixed coronary stenosis by exercise tests after treatment with calcium antagonists (Araki *et al*). 138
    influence on results of percutaneous transluminal coronary angioplasty (Leisch *et al*). 341
    and myocardial ischaemia, ambulatory pulmonary artery pressure monitoring (Levy *et al*). 518
    precipitating factors of nocturnal angina (Quyyumi *et al*). 346
Angioplasty *see also* Balloon: Percutaneous: Valvuloplasty
Antibodies to phospholipid, and deep vein thrombosis, in systemic lupus erythematosus, and myocardial infarction: case report (Asherson *et al*). 190
Aorta (aortic)
  dissection, computed tomography as investigation of choice (Singh *et al*). 171
  regurgitation, magnetic resonance assessment (Underwood *et al*). 455
  valve, prolapse, evaluation in ventricular septal defect (Menahem *et al*). 242
    stenosis assessment, electrocardiographic and echocardiographic measures of left ventricular hypertrophy compared: correspondence (Bennett: Wainwright Evans & Raj: Dancy). 105
      mean pressure difference, non-invasive estimation by Doppler ultrasound (Teien *et al*). 450
      and pulmonary hypertensive duct, successful balloon aortic valvotomy: case report (Rickards & Somerville). 185
Apolipoproteins AI and B serum, and lipoproteins, and ischaemic heart disease (Durrington *et al*). 206
Arrhythmias
  children, treatment with intravenous and oral amiodarone (Bucknall *et al*). 278
  life threatening, and sarcoid heart disease: correspondence (Fleming). 575
Atenolol, abrupt withdrawal, in severe angina, comparison with effects of treatment: correspondence (Lewis & Henderson: Walker). 195
Atrial
  amyloid, isolated, contains atrial natriuretic peptide, report of 6 cases (Kaye *et al*). 317
  fibrillation, pulse in, irregularly irregular (Rawles & Rowland). 4
    pulse in: editorial (Meijler). 1
  natriuretic peptide, containing isolated atrial amyloid, report of 6 cases (Kaye *et al*). 317
    is this really a hormone: editorial (Linden & Knapp). 299
      research review and historical account (Genest). 302
  pacing, in myocardial ischaemia, haemodynamic response to pulmonary artery pressure monitoring (Levy *et al*). 12
  rupture, left in osteogenesis imperfecta: case report (Rogerson *et al*). 187
Atrioventricular block, second degree, survival: correspondence (Watson & Patel: Shaw *et al*). 107

Balloon
  aortic valvotomy, successful, in pulmonary hypertensive duct and aortic valve stenosis: case report (Rickards & Somerville). 185
  dilatation of pulmonary stenosis and coarctation of the aorta (Rao). 250
  techniques, infants and children: editorial (Bull). 197
  trefoil, for aortic valvuloplasty: case report (Meier *et al*). 292
Bipolar lead CM5 in electrocardiography, value (Quyyumi *et al*). 372
Blood flow, coronary sinus, and global myocardial metabolism, influence of glyceryl trinitrate and nifedipine, during coronary artery operation (van Wezel *et al*). 272

Calcium antagonists, and exercise testing, in detection of coronary stenosis in variant angina (Areki *et al*). 138
Captopril, and hydralazine and isosorbide dinitrate, effects on myocardial sympathetic tone in severe congestive heart failure (Daly *et al*). 152
Cardiomyopathy, dilated, early childhood, evaluation by serial echocardiography (Weinhouse *et al*). 94
Cardiomyopathy, dilated, relation between alcohol intake, myocardial enzyme activity, and myocardial function (Richardson *et al*). 165
Cardiopulmonary bypass, plasma catecholamine changes during, trimetaphan camsylate and sodium nitroprusside compared (Corr *et al*). 89
Catecholamine, plasma, changes during cardiopulmonary bypass, trimetaphan camsylate and sodium nitroprusside compared (Corr *et al*). 89
Catheterisation, interventional, infants and children: editorial (Bull). 197
Clonidine withdrawal, α receptors and ventricular tachycardia after: correspondence (Nakagawa *et al*). 194
Coarctation of the aorta, balloon dilatation (Rao). 250
Computed tomography, for aortic dissection, investigation of choice (Singh *et al*). 171
Congenital heart disease
  adults and adolescents: editorial (Somerville). 395
  echocardiography, neonates (Leung *et al*). 73
Congestive heart failure
  reversible renal failure after combined treatment with enalapril and frusemide: correspondence (Stewart *et al*: McMurray & Matthews: Funck-Bretano *et al*). 489
  vasopressin antagonist, hormonal, global, and regional haemodynamic responses (Nicod *et al*). 433
Conjoined hearts: case report (Antonelli *et al*). 486
Coronary
  artery disease, detection by thallium scintigraphy in valvar heart disease (Huikuri *et al*). 146

early diagnosis of risk, familial hypercholesterolaemia, DNA techniques: editorial (Humphries). 201
precipitating factors of nocturnal angina (Quyyumi *et al*). 346
occluded left anterior descending, percutaneous transluminal coronary angioplasty: case report (Grollier *et al*). 377
stenosis, clinically significant, in stable angina, morphological characteristics (Hangartner *et al*). 501
detection in variant angina, exercise testing (Araki *et al*). 138
thrombus, as risk factor for acute vessel occlusion during percutaneous transluminal coronary angioplasty (Sugrue *et al*). 62
bypass surgery, postoperative immunological response against contractile proteins (de Scheerder *et al*). 440
care, prehospital, twenty years: editorial (Geddes). 491
Correction 298
Correspondence
Abrupt withdrawal of atenolol in patients with severe angina: comparison with the effects of treatment (Lewis & Henderson: Walker). 195
α receptors and ventricular tachycardia after clonidine withdrawal (Nakagawa *et al*). 194
Comparison of electrocardiographic and echocardiographic measures of left ventricular hypertrophy in the assessment of aortic stenosis (Bennett: Wainwright Evans & Raj: Dancy). 105
Radiation hazards for cardiologists (Wilde). 394
Reversible renal failure after combined treatment with enalapril and frusemide in a patient with congestive heart failure (Stewart *et al*: McMurray & Matthews: Funck-Brentano *et al*). 489
Survival in second degree atrioventricular block (Watson & Patel: Shaw *et al*). 107
Unexpected myocardial disease in patients with life threatening arrhythmias (Fleming). 575
Crescentic glomerulonephritis, possible complication of streptokinase treatment for myocardial infarction: case report (Murray *et al*). 483
Cross sectional echocardiography and pulsed Doppler ultrasound, in congenital heart disease in neonates (Leung *et al*). 73

DDD pacing mode, in angina pectoris (Kenny *et al*). 463
Deep vein thrombosis, and antibodies to phospholipid, in systemic lupus erythematosus, and myocardial infarction: case report (Asherson *et al*). 190
Dermatomyositis, fatal, pathogenesis of heart block: case report (Behan *et al*). 479
Dicrotic pulse, mechanism (Smith & Craige). 531
Digital subtraction angiography, ischaemic wall motion abnormalities without myocardial infarction (Detrano *et al*). 131
Diverticulum of the heart, congenital, arising from the coronary sinus: case report (Di Segni *et al*). 380
DNA techniques, familial hypercholesterolaemia as example of early diagnosis of coronary artery disease risk: editorial (Humphries). 201
Doppler echocardiography
after anatomical correction of transposition of great arteries (Gibbs *et al*). 67
in bioprosthetic valve assessment, comparison of valves (Simpson *et al*). 83
non-invasive estimation of mean pressure difference in aortic stenosis (Teien *et al*). 450
pulsed, non-invasive estimates of pulmonary hypertension, reliability (Matsuda *et al*). 158
and cross sectional echocardiography, in coronary heart disease in neonates (Leung *et al*). 73
Double inlet left ventricle, staged septation: case report (McKay *et al*). 563
Double outlet right ventricle and complete transposition, anatomical correction, intermediate assessment of functional results (Lincoln *et al*). 259

Echocardiography
cross sectional, in assessment of surgical "mitral valve" disease, children and adolescents (Ortiz & Somerville). 267
right ventricle, normal adult (Foale *et al*). 33
serial, in evaluation of viral myocarditis simulating dilated cardiomyopathy (Weinhouse *et al*). 94
Editorials
Congenital heart disease in adults and adolescents (Somerville). 395
Early treatment of unstable angina (Fox & Krikler). 398
Familial hypercholesterolaemia as an example of early diagnosis of coronary artery disease risk by DNA techniques (Humphries). 201
Interventional catheterisation in infants and children (Bull). 197
Is atrial natriuretic peptide really a hormone (Linden & Knapp). 299
The pulse in atrial fibrillation (Meijler). 1
Twenty years of prehospital coronary care (Geddes). 491
Enalapril and frusemide combined, in congestive heart failure, reversible renal failure after: correspondence (Stewart *et al*: McMurray & Matthews: Funck-Brentano *et al*). 489
Endomyocardial biopsy
in life-threatening arrhythmias with unexpected myocardial disease (Hosenpud *et al*). 55
peripartum heart disease (Sanderson *et al*). 285
fibrosis, unusual echocardiographic appearance of intracardiac thrombi: case report (Wiseman *et al*). 179
Epoprostenol sodium (prostacyclin) infusion, in acute myocardial infarction (Kiernan *et al*). 428
Ergometrine maleate, effect on incidence of spasm at site of previous successful transluminal coronary angioplasty (Quyyumi *et al*). 27
Eustachian valve, infective endocarditis affecting: case report (Edwards *et al*). 561
Exercise
capacity and spontaneous heart rhythm, after transvenous fulguration of atrioventricular conduction (Schofield *et al*). 358
digital subtraction ventriculography, for detection of ischaemic wall motion abnormalities without myocardial infarction (Detrano *et al*). 131
testing, in myocardial ischaemia, haemodynamic response to pulmonary artery pressure monitoring (Levy *et al*). 12
tolerance in chronic heart block, ventricular pacing improving (Papouchado & Pitcher). 366

Fibrillation, atrial
pulse in: editorial (Meijler). 1
pulse in, irregularly irregular (Rawles & Rowland. 4
Frusemide and enalapril combined, in congestive heart failure, reversible renal failure after: correspondence (Stewart *et al*: McMurray & Matthews: Funck-Brentano *et al*). 489

Global myocardial metabolism, influence of glyceryl trinitrate and nifedipine, during coronary artery operation (van Wezel *et al*). 272
Glyceryl trinitrate and nifedipine, influence on coronary sinus blood flow and global myocardial metabolism during coronary artery operation (van Wezel *et al*). 272

Heart
block, chronic, ventricular pacing improves exercise tolerance (Papouchado & Pitcher). 366
complete, with myocardial abscess, complicating anaerobic infective endocarditis: case report (Kopelman *et al*). 101
fatal, due to mesothelioma of atrioventricular node: case report (Evans & Stovin). 572
pathogenesis, in fatal case of dermatomyositis: case report (Behan *et al*). 479
disease, peripartum, endomyocardial biopsy study (Sanderson *et al*). 285
severe congestive, effects of captopril and hydralazine and iso-

sorbide dinitrate on myocardial sympathetic tone (Daly *et al*). 152
Hearts, conjoined: case report (Antonelli *et al*). 486
Hunter, John, on heart disease: review (Proudfit). 109
Hydralazine and isosorbide dinitrate, and captopril, effects on myocardial sympathetic tone in severe congestive heart failure (Daly *et al*). 152
Hypercholesterolaemia, familial, as example of early diagnosis of coronary artery disease risk by DNA techniques: editorial (Humphries). 201
Hypertrophic cardiomyopathy
effects of verapamil (Wilmshurst *et al*). 544
without asymmetrical septal hypertrophy, pathological features: case report (Tanaka *et al*). 294

Infarct artery patency, initial ST segment elevation and final infarct size (Hackworthy *et al*). 222
Infective endocarditis
affecting eustachian valve: case report (Edwards *et al*). 561
anaerobic, myocardial abscess with complete heart block complicating (Kopelman *et al*). 101
Intracoronary thromolytic treatment: case report (Singh & Ruttley). 182
Ischaemic wall motion abnormalities without myocardial infarction, exercise digital subtraction ventriculography for detection (Detrano *et al*). 131

Lipoproteins and serum apolipoproteins AI and B, and ischaemic heart disease (Durrington *et al*). 206

M mode echocardiographic long axis and short axis left ventricular function derivatives, comparability (D'Arbela *et al*). 445
Magnetic resonance assessment
of aortic and mitral regurgitation (Underwood *et al*). 455
in assessment of regional left ventricular function (Underwood *et al*). 334
Mammary artery graft, internal, stenosis, transluminal angioplasty: case report (Crean *et al*). 473
Mesothelioma of atrioventricular node, causing fatal heart block: case report (Evans & Stovin). 572
Metoprolol, in unstable angina, HINT Research Group. 400
Monitoring *see* Pulmonary artery pressure monitoring
Mitral
regurgitation, magnetic resonance assessment (Underwood *et al*). 455
valve, anomalous, causing left ventricular outflow tract obstruction, successful replacement, four month old infant: case report (Morais *et al*). 385
disease, surgical, assessment by cross sectional echocardiography, children and adolesents (Ortiz & Somerville). 267
Myocardial
abscess with complete heart block, complicating anaerobic infective endocarditis: case report (Kopelman *et al*). 101
infarction, coincidence of true and false left ventricular aneurysms after: case report (Coupe *et al*]. 567
constrictive pericarditis after: case report (Ramsdale *et al*). 476
epoprostenol sodium (prostacyclin) infusion (Kiernan *et al*). 428
impending, changes in left ventricular regional asynchrony after intracoronary thrombolysis (Gibson *et al*). 121
infarct artery patency, initial ST segment elevation and final infarct size (Hackworthy *et al*). 222
intracoronary, streptokinase, long-term improvement, global left ventricular function (Res *et al*). 414
thrombolytic treatment: case report (Singh & Ruttley). 182
and serum apolipoproteins AI and B and lipoproteins (Durrington *et al*). 206
streptokinase treatment, crescentic glomerulonephritis as possible complication: case report (Murray *et al*). 483
survival of non-surgical patients (Proudfit *et al*). 213
in systemic lupus erythematosus, deep vein thrombosis, and antibodies to phospholipid: case report (Asherson *et al*). 190
wall motion score, cross sectional echocardiography (Kan *et al*). 422
ischaemia with variant angina, ambulatory pulmonary artery pressure monitoring (Levy *et al*). 518
Myxoma
left atrial, new perspectives in diagnosis of murmur free cases (Nihoyannopoulos *et al*). 554
right atrial, prolapsing, causing abnormal diastolic movement of interventricular septum: case report (Ramsdale *et al*). 569

Nifedipine
influence on coronary sinus blood flow and global myocardial metabolism during coronary artery operation (van Wezel *et al*). 272
in unstable angina, HINT Research Group. 400
Notices 576

Osteogenesis imperfecta, left atrial rupture: case report (Rogerson *et al*). 187

Pacemaker, Quintech Tx, failure, caused by loss of stimulus-T interval shortening during exercise: case report (Fyfe & Robinson). 391
Pacing
mode, optimum, in angina pectoris (Kenny *et al*), 463
ventricular, improves exercise tolerance in chronic heart block (Papouchado & Pitcher). 366
Palmoplantar keratosis, familial, cardiac abnormalities (Protonotarios *et al*). 321
Percutaneous transluminal coronary angioplasty
coronary artery thrombus as risk factor (Sugrue *et al*). 62
early results, 400 patients (Sowton *et al*). 115
incidence of spasm at site, effect of ergometrine maleate (Quyyumi *et al*). 27
influence of variant angina on results (Leisch *et al*). 341
of occluded left anterior descending coronary artery: case report (Grollier *et al*). 377
of stenosis of internal mammary artery graft: case report (Crean *et al*). 473
Pericarditis, constrictive, after myocardial infarction: case report (Ramsdale *et al*). 476
Prostheses, Doppler ultrasound assessment, comparison of valves (Simpson *et al*). 83
Peripartum heart disease, endomyocardial biopsy study (Sanderson *et al*). 285
Proteins, contractile, postoperative immunological response against, after coronary bypass surgery (de Scheerder *et al*). 440
Pulmonary
artery pressure monitoring assessment of haemodynamic response in myocardial ischaemia (Levy *et al*). 12
right, anomalous origin from aorta, surgical correction, four day old neonate: case report (Sibley *et al*). 98
hypertension, non-invasive estimates by pulsed Doppler echocardiography, reliability (Matsuda *et al*). 158
hypertensive duct and aortic valve stenosis, successful balloon aortic valvotomy: case report (Rickards & Somerville). 185
stenosis, balloon dilatation (Rao). 250
Pulse
in atrial fibrillation: editorial (Meijler). 1
irregularly irregular (Rawles & Rowland). 4

Quintech Tx pacemaker, failure, caused by loss of stimulus-T interval shortening during exercise: case report (Fyfe & Robinson). 391

Radiation hazards for cardiologists: correspondence (Wilde). 394

Renal failure, reversible, after combined enalapril and frusemide, in coronary heart failure: correspondence (Stewart *et al*: McMurray & Matthews: Fock-Brentano *et al*). 489

Sarcoid heart disease in patients with life threatening arrhythmias: correspondence (Fleming). 575
Septation, staged, double inlet left ventricle: case report (McKay *et al*). 563
Sinoatrial disease, oral xamoterol in (Tseu *et al*). 469
Smoking, major predictor of left ventricular function after occlusion of left anterior descending coronary artery (McKenzie *et al*). 496
Sodium nitroprusside and trimetaphan camsylate compared for effects on plasma catecholamine changes during cardiopulmonary bypass (Corr *et al*). 89
Somatostatin, electrophysiological actions on atrioventricular junction, in sinus rhythms and reentry tachycardia (Webb *et al*). 236
Spasm, incidence at site of previous successful transluminal coronary angioplasty, effect of ergometrine maleate (Quyyumi *et al*). 27
Spontaneous heart rhythm and exercise capacity, after transvenous fulguration of atrioventricular conduction (Schofield *et al*). 358
ST segment
  in ambulatory pulmonary artery pressure monitoring, in myocardial ischaemia with variant angina (Levy *et al*). 518
  depression, asymptomatic, assessed by ambulatory pulmonary artery pressure monitoring, haemodynamic significance (Levy *et al*). 526
    haemodynamic significance, and syndrome X (Levy *et al*). 353
  elevation and final infarct size, influence of infarct artery patency (Hackworthy *et al*). 222
Streptokinase
  intracoronary, in myocardial infarction, long-term improvement, global left ventricular function (Res *et al*). 414
  treatment for myocardial infarction, crescentic glomerulonephritis as possible complication: case report (Murray *et al*). 483
Sweating, profuse, influence on systolic time intervals (Ishikawa & Ishikawa). 176
Syndrome X, haemodynamic significance of ST segment depression (Levy *et al*). 353
Systemic lupus erythematosus, deep vein thrombosis, and antibodies to phospholipid, and myocardial infarction: case report (Asherson *et al*). 190
Systolic time intervals, influence of profuse sweating (Ishikawa & Ishikawa). 176

Tachycardia, ventricular, of right ventricular origin, right ventricular abnormalities, relation to electrophysiological abnormalities (Foale *et al*). 45
Thallium scintigraphy, detecting coronary artery disease in valvar heart disease (Huikuri *et al*). 146
Thrombi, intracardiac, in endomyocardial fibrosis, unusual echocardiographic appearance: case report (Wiseman *et al*). 179
Thrombolysis, intracoronary, treatment: case report (Singh & Ruttley). 182
  in impending myocardial infarction, changes in left ventricular regional asynchrony after (Gibson *et al*). 121
Thromboxane receptor blocking drug AH23848, effect in angina pectoris (De Bono *et al*). 509
Transposition of the great arteries
  anatomical correction, Doppler echocardiography after (Gibbs *et al*). 67
  complete, and double outlet right ventricle, anatomical correction, intermediate assessment of functional results (Lincoln *et al*). 259
Transvenous fulguration of atrioventricular conduction, exercise capacity and spontaneous heart rhythm after (Schofield *et al*). 358
Trefoil balloon, for aortic valvuloplasty: case report (Meier *et al*). 292
Tricuspid atresia, in adolescents and adults, current state and late complications (Warnes & Somerville). 535
Trimetaphan camsylate and sodium nitroprusside compared for effects on plasma catecholamine changes during cardiopulmonary bypass (Corr *et al*). 89
Truncus arteriosus, successful surgical correction without use of valved conduit: case report (Reid *et al*). 388

Validation of study 576
Valvar heart disease, detection of coronary artery disease by thallium scintigraphy (Huikuri *et al*). 146
Valvotomy, balloon aortic, successful, in pulmonary hypertensive duct and aortic stenosis: case report (Rickards & Somerville). 185
Valvuloplasty, aortic, trefoil balloon: case report (Meier *et al*). 292
Variant angina *see* Angina pectoris, variant
Vasopressin antagonist, in congestive heart failure, hormonal, global, and regional haemodynamic responses (Nicod *et al*). 433
Ventricles, left
  aneurysms, true and false, after myocardial infarction, coincidence: case report (Coupe *et al*). 567
  dysfunction in angina pectoris and normal coronary angiograms (Scofield *et al*). 327
  function after occlusion of left anterior descending coronary artery, smoking as major predictor (McKenzie *et al*). 496
    derivatives, comparability of M mode echocardiographic long axis and short axis (D'Arbela *et al*). 445
    regional, assessment by magnetic resonance (Underwood *et al*). 334
    hypertrophy, electrocardiographic and echocardiographic measures compared, in assessment of aortic stenosis: correspondence (Bennett: Wainwright Evans & Raj: Dancy). 105
  outflow tract obstruction, due to anomalous mitral valve, successful replacement, four month old infant: case report (Morais *et al*). 385
  regional asynchrony, changes, after intracoronary thrombolysis in impending myocardial infarction [Gibson *et al*). 121
  wall motion, regional variation in timing and extent, normal subjects (Hammermeister *et al*). 226
Ventricles, right
  abnormalities, in ventricular tachycardia of right ventricular origin, relation to electrophysiological abnormalities (Foale *et al*). 45
  infarction, diagnosis and prognosis (Rodrigues *et al*). 19
  normal adult, echocardiographic measurement (Foale *et al*). 33
Ventricular
  septal defect, evaluation of aortic valve prolapse (Menahem *et al*). 242
  tachycardia and α receptors, after clonidine withdrawal: correspondence (Nakagawa *et al*). 194
    of right ventricular origin, right ventricular abnormalities, relation to electrophysiological abnormalities (Foale *et al*). 45
Verapamil, effects, in hypertrophic cardiomyopathy (Wilmshurst *et al*). 544
Viral myocarditis simulating dilated cardiomyopathy, in early childhood, evaluation by serial echocardiography (Weinhouse *et al*). 94

Xamoterol, oral, in sinoatrial disease (Tseu *et al*). 469